

Subpart E—United States Standards for Flaxseed

TERMS DEFINED

§ 810.601 Definition of flaxseed.

Grain that, before the removal of dockage, consists of 50 percent or more of common flaxseed (*Linum usitatissimum* L.) and not more than 20 percent of other grains for which standards have been established under the United States Grain Standards Act and which, after the removal of dockage, contains 50 percent or more of whole flaxseed.

§ 810.602 Definition of other terms.

(a) *Damaged kernels.* Kernels and pieces of flaxseed kernels that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(b) *Dockage.* All matter other than flaxseed that can be removed from the original sample by use of an approved device according to procedures prescribed in FGIS instructions. Also, underdeveloped, shriveled, and small pieces of flaxseed kernels removed in properly separating the material other than flaxseed and that cannot be recovered by properly rescreening or recleaning.

(c) *Heat-damaged kernels.* Kernels and pieces of flaxseed kernels that are materially discolored and damaged by heat.

(d) *Other grains.* Barley, corn, cultivated buckwheat, einkorn, emmer, guar, hull-less barley, nongrain sorghum, oats, Polish wheat, popcorn, poulard wheat, rice, rye, safflower, sorghum, soybeans, spelt, sunflower seed, sweet corn, triticale, wheat, and wild oats.

PRINCIPLES GOVERNING THE APPLICATION OF STANDARDS

§ 810.603 Basis of determination.

Other determinations not specifically provided for under the general provisions are made on the basis of the grain when free from dockage, except the determination of odor is made on either

the basis of the grain as a whole or the grain when free from dockage.

GRADES AND GRADE REQUIREMENTS

§ 810.604 Grades and grade requirements for flaxseed.

Grade	Minimum test weight per bushel (pounds)	Maximum limits of damaged kernels—	
		Heat damaged kernels (percent)	Total (percent)
U.S. No. 1	49.0	0.2	10.0
U.S. No. 2	47.0	0.5	15.0

U.S. Sample grade—

U.S. Sample grade is flaxseed that:

- (a) Does not meet the requirements for the grades U.S. Nos. 1 or 2; or
- (b) Contains 8 or more stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (*Crotalaria* spp.), 2 or more castor beans (*Ricinus communis* L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 10 or more rodent pellets, bird dropping, or equivalent quantity of other animal filth per 1½ to 1¼ quarts of flaxseed; or
- (c) Has musty, sour, or commercially objectionable foreign odor (except smut or garlic odor), or
- (d) Is heating or otherwise of distinctly low quality.

Subpart F—United States Standards for Mixed Grain

TERMS DEFINED

§ 810.801 Definition of mixed grain.

Any mixture of grains for which standards have been established under the United States Grain Standards Act, provided that such mixture does not come within the requirements of any of the standards for such grains; and that such mixture consists of 50 percent or more of whole kernels of grain and/or whole or broken soybeans which will not pass through a $\frac{5}{64}$ triangular-hole sieve and/or whole flaxseed that passes through such a sieve after sieving according to procedures prescribed in FGIS instructions.

§ 810.802 Definition of other terms.

(a) *Damaged kernels.* Kernels and pieces of grain kernels for which standards have been established under the Act, that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged,

sprout-damaged, or otherwise materially damaged.

(b) *Foreign material and fines.* All matter other than whole flaxseed that passes through a $\frac{5}{64}$ triangular-hole sieve, and all matter other than grains for which standards have been established under the Act, that remains in the sieved sample.

(c) *Grades.* U.S. Mixed Grain, or U.S. Sample grade Mixed Grain, and special grades.

(d) *Heat-damaged kernels.* Kernels and pieces of grain kernels for which standards have been established under the Act, that are materially discolored and damaged by heat.

(e) *Sieve— $\frac{5}{64}$ triangular-hole sieve.* A metal sieve 0.032 inch thick with equilateral triangular perforations the inscribed circles of which are 0.0781 ($\frac{5}{64}$) inch in diameter.

PRINCIPLES GOVERNING THE
APPLICATION OF STANDARDS

§ 810.803 **Basis of determination.**

Each determination of damaged and heat-damaged kernels, and the percentage of each kind of grain in the mixture is made on the basis of the sample after removal of foreign material and fines. Other determinations not specifically provided for under the general provisions are made on the basis of the grain as a whole, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from foreign material and fines.

GRADES AND GRADE REQUIREMENTS

§ 810.804 **Grades and grade requirements for mixed grain.**

(a) *U.S. Mixed Grain (grade).* Mixed grain with not more than 15.0 percent of damaged kernels, and not more than 3.0 percent of heat-damaged kernels, and that otherwise does not meet the requirements for the grade U.S. Sample grade Mixed Grain.

(b) *U.S. Sample grade Mixed Grain.* Mixed grain that:

(1) Does not meet the requirements for the grade U.S. Mixed Grain; or

(2) Contains more than 16.0 percent moisture; or

(3) Contains 8 or more stones that have an aggregate weight in excess of

0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more *Crotalaria* seeds (*Crotalaria* spp.), 2 or more castor beans (*Ricinus communis* L.), 8 more cockleburrs (*Xanthium* spp.) or similar seeds singly or in combination, 4 or more pieces of an unknown foreign substance(s) or a recognized harmful or toxic substance(s), 10 or more rodent pellets, bird droppings, or an equivalent quantity of other animal filth per 1,000 grams of mixed grain; or

(4) Is musty, sour, or heating; or

(5) Has any commercially objectionable foreign odor except smut or garlic; or

(6) Is otherwise of distinctly low quality.

SPECIAL GRADES AND SPECIAL GRADE
REQUIREMENTS

§ 810.805 **Special grades and special grade requirements.**

(a) *Blighted mixed grain.* Mixed grain in which barley predominates and that contains more than 4.0 percent of fungus-damaged and/or mold-damaged barley kernels.

(b) *Ergoty mixed grain.* (1) Mixed grain in which rye or wheat predominates and that contains more than 0.30 percent ergot, or

(2) Any other mixed grain that contains more than 0.10 percent ergot.

(c) *Garlicky mixed grain.* (1) Mixed grain in which wheat, rye, or triticale predominates, and that contains 2 or more green garlic bulblets, or an equivalent quantity of dry or partly dry bulblets in 1,000 grams of mixed grain; or

(2) Any other mixed grain that contains 4 or more green garlic bulblets, or an equivalent quantity of dry or partly dry bulblets, in 500 grams of mixed grain.

(d) *Smutty mixed grain.* (1) Mixed grain in which rye, triticale, or wheat predominates, and that contains 15 or more average size smut balls, or an equivalent quantity of smut spores in 250 grams of mixed grain, or

(2) Any other mixed grain that has the kernels covered with smut spores to give a smutty appearance in mass, or that contains more than 0.2 percent smut balls.

(e) *Treated mixed grain.* Mixed grain that has been scoured, limed, washed,